

STONIMAGE

How to be A Global Leader in Services?

Many of us are facing after-sales trouble no matter private or governmental control company, time is invaluable and most worrying for us. Once the machine shut down, the production shut down either, and we start to lose money quickly and come to an operation crisis So what we do here?


- ◆ Fast Action in Services
- ◆ Unconditional Parts Supply
- ◆ Strong Professionalism

STONIMAGE

was founded at end of 2014, is a global brand and manufacturer of lifting equipment and material handling equipment, we owns the most professional engineering team, R & D center and manufacturing base with rich experience in lifting industry. We are working with full passion in continuous innovation and improving services level.

Currently, STONIMAGE is focusing on Innovation, Manufacturing and Supplying of various lifting equipment, transportation machinery and construction machinery, mainly as below:

- Ladder Lift, Solar Panel Lift, Glass and window lift, Glass trolley
- Cargo truck elevator, Fish elevator, Mountain cargo Lift
- Electric scaffold, Wall building platform
- Electric forklift, Brick stacker, Installation Forklift for Pipe/Panel
- Scissor lift, Retractable stairs, Roller Shutter door lift
- Restaurant Meal elevator
- Ladder Scaffold
- **Boat Lifter**



Boa Lifter

✓ For lifting boat

XINXIANG STONIMAGE TECHNOLOGY CO. LTD

新乡市石像科技有限公司

Tel: +86 373 5853611 +86 173 3736 9213

www.stonimagelift.com

Add: 1522#, Gongyanguoji, Hongqi district, Xinxiang city, Henan, China

Boat Lifter

- ✓ Max. Lifting Capacity: 1,000kg~2,000kg
- ✓ Track Length: 3~30m
- ✓ For Lifting boat



Technical Data

Max. Lifting Capacity (kg)	Track Length (m)	Standard Voltage	Track size	Wire rope (mm)
1,000	3~15m	220v, 1ph	#8 U bar, 4.5m thickness	10
1,000	15~30m	380v, 3ph	#8 U bar, 4.5m thickness	10
2,000	3~30m	380v, 3ph	#10 U bar, 5.5m thickness	12

Technical Notes:

- 1) Material: U bar
- 2) Pallet size: Customized as the boat size
- 3) Control method: Pendent control / Remote control
- 4) Packing size: Wooden case (especially for export)
- 5) Client need to do a concrete foundation to support the track

Application

应用案例

