



Brick Lift—— Dimension drawing

STONIMAGE , 2024/5/8


■ Brick Lift

Lifting height: 2m

Brick Lift • Dimension

Model: BF 200

- Product Name: Brick lift
- Max. lifting height: 2m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type: Standard or reverse fork
- Self-height: 1.7m
- Fork base L*W: 1.9m*0.8m
- Fork L*W: 85cm*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




■ Brick Lift

Lifting height: 3m

Brick Lift • Dimension

Model: BF 300

- Product Name: Brick lift
- Max. lifting height: 3m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type: Standard or reverse fork
- Self-height: 2.2m
- Fork base L*W: 1.9m*0.8m
- Fork L*W: 85cm*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




■ Brick Lift

Lifting height: 4m

Brick Lift • Dimension

Model: BF 400

- Product Name: Brick lift
- Max. lifting height: 4m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type: Standard or reverse fork
- Self-height: 2.7m
- Fork base L*W: 1.9m*0.8m
- Fork L*W: 85cm*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




■ Brick Lift

Lifting height: 5m

Brick Lift • Dimension

Model: BF 500

- Product Name: Brick lift
- Max. lifting height: 5m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type: Standard or reverse fork
- Self-height: 3.2m
- Fork base L*W: 1.9m*0.8m
- Fork L*W: 85cm*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




■ Brick Lift

Lifting height: 6m

Brick Lift • Dimension

Model: BF 600

- Product Name: Brick lift
- Max. lifting height: 6m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type: Standard or reverse fork
- Self-height: 3.7m
- Fork base L*W: 1.9m*1.2m
- Fork L*W: 85cm*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




■ Brick Lift

Lifting height: 7m

Brick Lift • Dimension

Model: BF 700

- Product Name: Brick lift
- Max. lifting height: 7m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type: Standard or reverse fork
- Self-height: 4.2m
- Fork base L*W: 1.9m*1.2m
- Fork L*W: 85cm*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope




■ Brick Lift

Lifting height: 8m

Brick Lift • Dimension

Model: BF 800

- Product Name: Brick lift
- Max. lifting height: 8m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type: Standard or reverse fork
- Self-height: 4.7m
- Fork base L*W: 1.9m*1.2m
- Fork L*W: 85cm*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope



■ Brick Lift

Lifting height: 9m

Brick Lift • Dimension

Model: BF 900

- Product Name: Brick lift
- Max. lifting height: 9m
- Load capacity: 300kg
- Section: 2 sections
- Lifting mode: Fork lift first
- Fork type: Standard or reverse fork
- Self-height: 5.2m
- Fork base L*W: 1.9m*1.2m
- Fork L*W: 85cm*65cm
- Color: Blue/Black
- Standard: Pure copper large motor, coarse oil wire rope

