


让物料高效流动起来，让搬运更便捷更轻松！
Let materials flow efficiently and make handling more convenient and easy



STONIMAGE

助力建造智慧工厂 推动企业持续领先！
Assist in building smart factories and promote sustained leadership of enterprises



XINXIANG STONIMAGE TECHNOLOGY CO. LTD

Tel: +86 373 5853611 +86 173 3736 9213
www.stonimagelift.com
Email: inquire@stonimage.com
Add: 1522#, Gongyuanguoji, Hongqi district, Xinxiang city, Henan, China

- ◆升降搬运装备产品一站式供应厂商
One stop supplier of lifting and handling equipment products
- ◆精益智慧物流解决方案服务商
Lean intelligent logistics solution service provider
- ◆无动力智能升降搬运车发明者企业
Inventor enterprise of unpowered intelligent lifting and handling vehicle

弹簧升降平台车
SPRING LIFT TABLE CART


- ◆ 无需能耗，绿色环保
- ◆ No energy consumption required, green and environmentally friendly
- ◆ 操作省力，消除弯腰
- ◆ Effortless operation, eliminating bending over
- ◆ 减轻工作劳动强度，提升作业效率
- ◆ Reduce work intensity and improve work efficiency



TCA 系列 TCA Series							
型号 MEDEL	载重 CAPATITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TCA50	50	700*450	250	750	125	32	
SBL-TCA50S	50	800*500	280	780	125	38	
SBL-TCA100	100	700*450	250	750	125	33	
SBL-TCA100S	100	800*500	280	780	125	39	
SBL-TCA150	150	700*450	250	750	125	34	
SBL-TCA150S	150	800*500	280	780	125	40	
SBL-TCA200	200	700*450	250	750	125	35	
SBL-TCA200S	200	800*500	280	780	125	41	

使用模拟示意：

拿取零件的位置高度保持同一高度左右，
消除了弯腰搬运浪费并减轻了劳动强度




弹簧升降平台车
SPRING LIFT TABLE CART

- ◆ 无需能耗，绿色环保
- ◆ No energy consumption required, green and environmentally friendly
- ◆ 操作省力，消除弯腰
- ◆ Effortless operation, eliminating bending over
- ◆ 减轻工作劳动强度，提升作业效率
- ◆ Reduce work intensity and improve work efficiency

使用模拟示意：

拿取零件的位置高度保持同一高度左右，
消除了弯腰搬运浪费并减轻了劳动强度




TCF 系列 TCF Series							
型号 MEDEL	载重 CAPATITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TCF200	50~200	620*425	300	800	125	62	

弹簧升降平台车
SPRING LIFT TABLE CART

- ◆ 无需能耗，绿色环保
- ◆ No energy consumption required, green and environmentally friendly
- ◆ 操作省力，消除弯腰
- ◆ Effortless operation, eliminating bending over
- ◆ 减轻工作劳动强度，提升作业效率
- ◆ Reduce work intensity and improve work efficiency




TCB 系列 TCB Series							
型号 MEDEL	载重 CAPATITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TCB150	25~150	700*450	300	750	125	42	
SBL-TCB150S	25~150	800*500	350	800	125	48	
SBL-TCB250	75~250	700*450	330	750	125	42	
SBL-TCB250S	75~250	800*500	380	800	125	48	



弹簧升降平台车
SPRING LIFT TABLE CART

- ◆ 无需能耗，绿色环保
- ◆ No energy consumption required, green and environmentally friendly
- ◆ 操作省力，消除弯腰
- ◆ Effortless operation, eliminating bending over
- ◆ 减轻工作劳动强度，提升作业效率
- ◆ Reduce work intensity and improve work efficiency




TCG 系列 TCG Series							
型号 MEDEL	载重 CAPATITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TCG30	0~30	660*425	300	800	50	16	

弹簧升降平台车
SPRING LIFT TABLE CART

- ◆ 无需能耗，绿色环保
- ◆ No energy consumption required, green and environmentally friendly
- ◆ 操作省力，消除弯腰
- ◆ Effortless operation, eliminating bending over
- ◆ 减轻工作劳动强度，提升作业效率
- ◆ Reduce work intensity and improve work efficiency





TCD 系列 TCD Series							
型号 MEDEL	载重 CAPATITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TCD210	80~210	830*500	360	770	125	75	
SBL-TCD400	100~400	1010*520	440	800	125	123	



弹簧升降平台
SPRING LIFT TABLE

- ◆ 无需能耗，绿色环保
- ◆ No energy consumption required, green and environmentally friendly
- ◆ 操作省力，消除弯腰
- ◆ Effortless operation, eliminating bending over
- ◆ 减轻工作劳动强度，提升作业效率
- ◆ Reduce work intensity and improve work efficiency




XZA 系列 XZA Series							
型号 MEDEL	载重 CAPATITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	底座尺寸 BASE SIZE (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-XZA500	500	Ø 1110	240	705	915*934	115	
SBL-XZA1000	1000	Ø 1110	240	705	915*934	125	
SBL-XZA2000	2000	Ø 1110	240	705	915*934	150	

手动液压升降平台车
HYDRAULIC LIFT TABLE CART

- ◆ 新设计，负载大
- ◆ New design, high load capacity
- ◆ 高品质液压系统，安全性高
- ◆ High quality hydraulic system with high safety
- ◆ 操作简便，升降速度不变
- ◆ Easy to operate, constant lifting speed



TF 系列 TF Series							
型号 MEDEL	载重 CAPATITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TF15	150	700*450	220	720	100	42	TF15Z折叠款
SBL-TF20	200	700*450	220	720	100	44	TF20Z折叠款
SBL-TF30	300	815*500	285	900	125	70	TF30Z折叠款 TFQ30手球款
SBL-TF50	500	815*500	285	900	125	74	TF50Z折叠款 TFQ50手球款
SBL-TF50G	500	1600*800	285	900	125	120	/
SBL-TF100	1000	1000*500	415	1000	150	110	TFQ100手球款




手动液压升降平台车
HYDRAULIC LIFT TABLE CART

- ◆ 新设计，负载大
- ◆ New design, high load capacity
- ◆ 高品质液压系统，安全性高
- ◆ High quality hydraulic system with high safety
- ◆ 操作简便，升降速度不变
- ◆ Easy to operate, constant lifting speed

TFD 系列 TFD Series							
型号 MEDEL	载重 CAPATITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TFD15	150	700*450	270	1260	100	51	TFD15Z折叠款
SBL-TFD20	200	700*450	270	1260	100	56	TFD20Z折叠款
SBL-TFD35	350	905*500	350	1500	125	99	TFDQ35手球款
SBL-TFD50	500	850*500	360	1500	125	107	TFDQ50手球款
SBL-TFD80	800	1200*600	500	1500	150	165	/
SBL-TFD100	1000	1200*600	500	1700	150	226	/
SBL-TFD100G	1000	1500*800	500	1700	150	245	/

手动液压升降平台车
HYDRAULIC LIFT TABLE CART

- ◆ 新设计，负载大
- ◆ New design, high load capacity
- ◆ 高品质液压系统，安全性高
- ◆ High quality hydraulic system with high safety
- ◆ 操作简便，升降速度不变
- ◆ Easy to operate, constant lifting speed



TFF 系列 TFF Series							
型号 MODEL	载重 CAPACITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TFF50-2	500	905*500	360	1500	125	108	/
SBL-TFF50-3	500	905*500	475	2000	125	156	/
SBL-TFF100	1000	1200*600	380	1000	150	168	/
SBL-TFF200	2000	1200*600	380	1000	150	190	/

手动液压升降平台车
HYDRAULIC LIFT TABLE CART

- ◆ 新设计，负载大
- ◆ New design, high load capacity
- ◆ 高品质液压系统，安全性高
- ◆ High quality hydraulic system with high safety
- ◆ 操作简便，升降速度不变
- ◆ Easy to operate, constant lifting speed



BS 系列 BS Series							
型号 MODEL	载重 CAPACITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-BS15D	150	830*500	435	1430	125	90	
SBL-BS30D	300	1010*520	435	1585	150	138	
SBL-BS50D	500	1010*520	440	1575	150	148	
SBL-BS80D	800	1010*520	470	1410	150	165	



手动液压升降平台车
HYDRAULIC LIFT TABLE CART

- ◆ 新设计，负载大
- ◆ New design, high load capacity
- ◆ 高品质液压系统，安全性高
- ◆ High quality hydraulic system with high safety
- ◆ 操作简便，升降速度不变
- ◆ Easy to operate, constant lifting speed



BS 系列 BS Series							
型号 MODEL	载重 CAPACITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-BS15	150	700*450	265	755	100	41	
SBL-BS25	250	830*500	330	910	125	78	
SBL-BS50	500	1010*520	435	1000	150	115	
SBL-BS75	750	1010*520	440	1000	150	120	
SBL-BS100	1000	1010*520	445	950	150	122	



手动液压升降平台车
HYDRAULIC LIFT TABLE CART

- ◆ 新设计，负载大
- ◆ New design, high load capacity
- ◆ 高品质液压系统，安全性高
- ◆ High quality hydraulic system with high safety
- ◆ 操作简便，升降速度不变
- ◆ Easy to operate, constant lifting speed



BS 系列 BS Series							
型号 MODEL	载重 CAPACITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-BS10S	100	700*450	265	755	100	41	
SBL-BS20S	200	830*500	330	910	125	78	
SBL-BS50S	500	1010*520	435	1000	150	118	

电动升降平台车ELECTRIC LIFT TABLE CART

- ◆ 电动驱动，省力省时
- ◆ Electric drive, labor-saving and time-saving
- ◆ 升降平稳，安全性高
- ◆ Smooth lifting and high safety
- ◆ 操控灵敏，续航持久
- ◆ Sensitive handling and long-lasting battery life



DE系列 DESeries							
型号MEDEL	载重CAPATITY(kg)	台面尺寸TABLE SIZE(MM)	最低高度CLOSED HEIGHT(MM)	最高高度MAX HEIGHT(MM)	轮子直径DIAMETER OF WHEEL(MM)	净重NET WEIGHT(kg)	可选项OPTIONS
SBL-DE20	200	900*600	380	860	125	95	
SBL-DE20-2	200	900*600	390	1300	125	110	



电动升降平台车ELECTRIC LIFT TABLE CART

- ◆ 电动驱动，省力省时
- ◆ Electric drive, labor-saving and time-saving
- ◆ 升降平稳，安全性高
- ◆ Smooth lifting and high safety
- ◆ 操控灵敏，续航持久
- ◆ Sensitive handling and long-lasting battery life

DF 系列 DF Series									
型号MEDEL	载重CAPATITY(kg)	台面尺寸TABLE SIZE(MM)	最低高度CLOSED HEIGHT(MM)	最高高度MAX HEIGHT(MM)	轮子直径DIAMETER OF WHEEL(MM)	电机功率MOTOR POWER(V/KW)	蓄电池容量BATTERY CAPACITY(AH)	净重NET WEIGHT(kg)	可选项OPTIONS
SBL-DF50	500	905*500	290	900	125	12/0.8	70	125	
SBL-DF35-2	350	1200*600	360	2000	125	12/0.8	70	170	
SBL-DF50-2	500	905*500	360	1500	125	12/0.8	70	150	
SBL-DF50-3	500	905*500	475	2000	125	12/0.8	70	190	
SBL-DF100	1000	1200*600	380	1000	150	12/0.8	70	202	
SBL-DF100-2	1000	1200*600	500	1700	150	12/0.8	70	260	

电动升降平台车ELECTRIC LIFT TABLE CART

- ◆ 电动驱动，省力省时
- ◆ Electric drive, labor-saving and time-saving
- ◆ 升降平稳，安全性高
- ◆ Smooth lifting and high safety
- ◆ 操控灵敏，续航持久
- ◆ Sensitive handling and long-lasting battery life



DH 系列 DH Series							
型号MEDEL	载重CAPATITY(kg)	台面尺寸TABLE SIZE(MM)	最低高度CLOSED HEIGHT(MM)	最高高度MAX HEIGHT(MM)	轮子直径DIAMETER OF WHEEL(MM)	净重NET WEIGHT(kg)	可选项OPTIONS
SBL-DH40	400	1100*600	390	950	150	260	
SBL-DH40-2	400	1100*600	460	1500	150	320	



电动升降平台车ELECTRIC LIFT TABLE CART

- ◆ 电动驱动，省力省时
- ◆ Electric drive, labor-saving and time-saving
- ◆ 升降平稳，安全性高
- ◆ Smooth lifting and high safety
- ◆ 操控灵敏，续航持久
- ◆ Sensitive handling and long-lasting battery life

DX 系列 DX Series							
型号MEDEL	载重CAPATITY(kg)	台面尺寸TABLE SIZE(MM)	最低高度CLOSED HEIGHT(MM)	最高高度MAX HEIGHT(MM)	轮子直径DIAMETER OF WHEEL(MM)	净重NET WEIGHT(kg)	可选项OPTIONS
SBL-DX50-2	500	1000*600	470	1500	150	300	
SBL-DX100-2	1000	1000*600	500	1500	150	360	
SBL-DX100	1000	1200*800	400	1000	150	320	

电动升降平台ELECTRIC LIFT TABLE CART

- ◆ 电动驱动，省力省时
- ◆ Electric drive, labor-saving and time-saving
- ◆ 升降平稳，安全性高
- ◆ Smooth lifting and high safety
- ◆ 操控灵敏，续航持久
- ◆ Sensitive handling and long-lasting battery life



TCH 系列 TCH Series							
型号 MEDEL	载重 CAPATITY (kg)	台面尺寸 TABLE SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TCH150	150	800*500	280	780	150	60	
SBL-TCH180	180	800*500	280	780	150	62	
SBL-TCH220	220	800*500	280	750	150	62	
SBL-TCH220S	220	800*500	280	780	150	64	
SBL-TCH520	520	800*500	280	750	150	66	
SBL-TCH520S	520	800*500	280	780	150	68	



自动升降机AUTOMATIC LIFT

- ◆ 无需搬运，轻松对接
- ◆ No need for transportation, easy to connect
- ◆ 降低工作劳动强度，保障员工职业健康
- ◆ Reduce work intensity and ensure employees' occupational health
- ◆ 消除弯腰及搬运浪费，提升工作效率
- ◆ Eliminate bending and handling waste, improve work efficiency




TSA 系列 TSA Series								
型号 MEDEL	载重 CAPATITY (kg)	叉脚长度尺寸 SPLAYFOOT LENGTH SIZE (MM)	叉脚宽度尺寸 SPLAYFOOT WIDTH SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TSA100	100	620	250~550	90	800	50	155	
SBL-TSA200	200	620	250~550	90	800	50	160	
SBL-TSA300	300	620	250~550	90	800	50	165	
SBL-TSA500	500	620	250~550	90	800	50	170	

自动升降机AUTOMATIC LIFT

- ◆ 无需搬运，轻松对接
- ◆ No need for transportation, easy to connect
- ◆ 降低工作劳动强度，保障员工职业健康
- ◆ Reduce work intensity and ensure employees' occupational health
- ◆ 消除弯腰及搬运浪费，提升工作效率
- ◆ Eliminate bending and handling waste, improve work efficiency



TSB 系列 TSB Series								
型号 MEDEL	载重 CAPATITY (kg)	叉脚长度尺寸 SPLAYFOOT LENGTH SIZE (MM)	叉脚宽度尺寸 SPLAYFOOT WIDTH SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TSB100	100	620	250~500	90	800	100	185	
SBL-TSB200	200	620	250~500	90	800	100	190	



自动升降机AUTOMATIC LIFT

- ◆ 无需搬运，轻松对接
- ◆ No need for transportation, easy to connect
- ◆ 降低工作劳动强度，保障员工职业健康
- ◆ Reduce work intensity and ensure employees' occupational health
- ◆ 消除弯腰及搬运浪费，提升工作效率
- ◆ Eliminate bending and handling waste, improve work efficiency



TSC 系列 TSC Series								
型号 MEDEL	载重 CAPATITY (kg)	叉脚长度尺寸 SPLAYFOOT LENGTH SIZE (MM)	叉脚宽度尺寸 SPLAYFOOT WIDTH SIZE (MM)	最低高度 CLOSED HEIGHT (MM)	最高高度 MAX HEIGHT (MM)	轮子直径 DIAMETER OF WHEEL (MM)	净重 NET WEIGHT (kg)	可选项 OPTIONS
SBL-TSC100	100	620	250~480	90	800	50	155	